

259409

**Programmatic Environmental Impact Statement (PEIS)
for
Ballast Water Discharge Standards**

**PUBLIC SCOPING MEETING
COMMENT SHEET**

USLL-01-10486-56

RECEIVED
COMMITTEE ON 11/20/03 15

Please provide your comments below (If you need additional space, please use a second comment sheet or attach an 8 1/2 x 11" piece of paper).

*****Comments must be received by December 26, 2003*****

Zero Tolerance is the only
ACCEPTABLE level

Thank you for your comments.

Please provide the following information.

Name: DAVE MONGESE

Organization: _____

Address: 6903 Richton Dr, White Plains, NY

Telephone Number: 630 653 2200

Would you like to be contacted? Yes No

Would you like to receive a copy of the Draft PEIS? Yes No

Completed public scoping comment sheets and/or additional comments may be returned at the end of the Public Scoping Meeting or submitted to the following:

- By mail:** Docket Management Facility (USCG-2001-10486), U.S. Department of Transportation, Room PL-401, 400 Seventh Street, SW., Washington, DC 20590-0001
 - By delivery:** Room PL-401 on the Plaza level of the Nassif Building, 400 Seventh Street SW, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The telephone number is 202-366-9329.
 - By fax:** Docket Management Facility at 202-493-2251
 - Electronically:** Visit the Web site for the Docket Management System at <http://dms.dot.gov>. To comment, click on Comments/Submissions and sign-in as either a Registered or Non-Registered User. Comments may be typed on line or submitted as an attached file.
- Ballast Water Information**
Hotline: 202-267-2716